

Coleman Creek Consulting, Inc.

DRINKING WATER LEAD SAMPLING

OF

FALCON HOME SCHOOL

8205 HWY. 39, KLAMATH FALLS, OREGON

FOR

KLAMATH COUNTY SCHOOL DISTRICT

INTRODUCTION


Coleman Creek Consulting, Inc. (CCC) was retained by Klamath County School District (KCS D) to perform representative lead drinking water sampling of Falcon Home School at the above address. The purpose of the lead drinking water sampling was to determine the concentration of lead in representative drinking water sources and compare with regulatory standards. In 2017, Education Service Districts were required to adopt a Healthy and Safe Schools Plan, including provisions for testing and reducing exposure to elevated levels of lead in water used for drinking and food preparation.

LEAD DRINKING WATER SAMPLING REQUIREMENTS

Guidelines for sampling lead in water were established by the Oregon Health Authority. Water sampling is to occur after water sits overnight in the pipes without being used, and must be sampled after a day occupied by students or building occupants. All water sources are to be sampled, with the exception of water used for heating, sanitation, irrigation, and science sinks for grades 6 and up with non-potable water signs. Initial testing is required to be performed by 2020, and every 6 years thereafter, according to a testing schedule determined by the Oregon Department of Education.

SAMPLE LOCATION DETERMINATION/SAMPLE PREP

David W. Fawcett of CCC contacted Fred Ginestar, Head Custodian at Falcon Home School, and discussed the objectives of the lead drinking water program. Mr. Ginestar reviewed the School buildings for water sources and identified by type on a building floor plan. Mr. Fawcett and Mr. Ginestar discussed the drinking water sources by phone, and Mr. Fawcett created a Site Sample Record Sheet describing each drinking water source by type and location. Mr. Fawcett identified each source by number (F1-F30), and identified each source number on a floor plan diagram of the school buildings. Mr. Fawcett delivered the following sampling materials to Mr. Ginestar November 1, 2023: Numbered sample containers, Site Sample Record Sheet filled out with Sample Number, Sample Type, and Location. Mr. Ginestar was instructed in proper sampling technique, including sampling prior to water system use by other school occupants, fill sample container immediately from faucet opening, and recording time of water sampling on the Site Sample Record Sheets (pages 3-4).



Coleman Creek Consulting, Inc.

DRINKING WATER SAMPLING

Mr. Ginestar collected lead drinking water samples from the drinking water sources identified in Falcon Home School November 1, 2023. See Site Sample Record Sheets (pages 3-4) for a description of the drinking water sources sampled. See Drinking Water Sample Location Diagram in Appendix A for a visual review of all drinking water sample locations. The drinking water samples were collected in the early morning, ensuring that the sample source had not been in use since the previous day. The samples were placed in a cooler. Mr. Fawcett picked up the samples collected by Mr. Ginestar November 1, 2023, and transported to Neilson Research Corporation in Medford, Oregon.

DRINKING WATER LEAD RESULTS AND TESTING SUMMARY SHEETS

The thirty (30) drinking water samples collected were analyzed for lead using EPA Method 200.8. See Neilson Research Corporation Analytical Report in Appendix B. Drinking Water Testing Summary Sheets (pages 5-12) indicate the lead in drinking water concentrations for the thirty (30) samples collected from the Falcon Home School buildings were reported ranging from <0.515 to 1.01 parts per billion (ppb).


CONCLUSIONS

Thirty (30) drinking water samples were collected from drinking water sources at the Falcon Home School Buildings prior to use that day by building occupants, and after a day the facility was occupied. The lead concentrations reported were all below the 15 ppb lead action level in water.

RECOMMENDATIONS

Coleman Creek Consulting, Inc. recommends continuing the lead drinking water sampling schedule in the future. Coleman Creek Consulting, Inc. appreciates the opportunity to continue to perform environmental sampling and consulting services to Klamath County School District.

David W. Fawcett
Director of Consulting Services



Coleman Creek Consulting, Inc.


DRINKING WATER SITE SAMPLE RECORD SHEET

BUILDING: Falcon Home School
ADDRESS: 8205 Hwy. 39
Klamath Falls, Oregon

DATE: 11-01-23
SAMPLER: Fred Ginestar

SAMPLE #	SAMPLE TYPE	LOCATION	TIME
23-120G.F1	DW	Office Drinking Fountain	0638
23-120G.F2	DW	Office Restroom Sink	0638
23-120G.F3	DW	Room 6A Drinking Fountain	0639
23-120G.F4	DW	Room 6A Restroom Sink	0639
23-120G.F5	DW	Room 6B Drinking Fountain	0640
23-120G.F6	DW	Room 6B Restroom Sink	0640
23-120G.F7	DW	Room 7A Drinking Fountain	0642
23-120G.F8	DW	Room 7A Restroom Sink	0642
23-120G.F9	DW	Room 7B Drinking Fountain	0643
23-120G.F10	DW	Room 7B Restroom Sink	0643
23-120G.F11	DW	Room 1A Drinking Fountain	0644
23-120G.F12	DW	Room 1A Restroom Sink	0644
23-120G.F13	DW	Room 1B Drinking Fountain	0645
23-120G.F14	DW	Room 1B Restroom Sink	0646
23-120G.F15	DW	Room 2A Drinking Fountain	0647
23-120G.F16	DW	Room 2A Restroom Sink	0647
23-120G.F17	DW	Room 2B Drinking Fountain	0648
23-120G.F18	DW	Room 2B Restroom Sink	0648
23-120G.F19	DW	Room 3A Drinking Fountain	0650
23-120G.F20	DW	Room 3A Restroom Sink	0650

Comments: DW = Drinking Water RR = Restroom R = Right L = Left RM = Right Middle
LM = Left Middle M = Middle



Coleman Creek Consulting, Inc.


DRINKING WATER SITE SAMPLE RECORD SHEET

BUILDING: Falcon Home School
ADDRESS: 8305 Hwy. 39
Klamath Falls, Oregon

DATE: 11-01-23
SAMPLER: Fred Ginestar

SAMPLE #	SAMPLE TYPE	LOCATION	TIME
23-120G.F21	DW	Room 3B Drinking Fountain	0651
23-120G.F22	DW	Room 3B Restroom Sink	0651
23-120G.F23	DW	Room 4A Drinking Fountain	0652
23-120G.F24	DW	Room 4A Restroom Sink	0652
23-120G.F25	DW	Room 4B Drinking Fountain	0653
23-120G.F26	DW	Room 4B Restroom Sink	0653
23-120G.F27	DW	Room 5A Drinking Fountain	0654
23-120G.F28	DW	Room 5A Restroom Sink	0654
23-120G.F29	DW	Room 5B Drinking Fountain	0655
23-120G.F30	DW	Room 5B Restroom Sink	0655

Comments: DW = Drinking Water RR = Restroom R = Right L = Left RM = Right Middle
LM = Left Middle M = Middle



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET


DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #8
BUILDING ID#: 20572207

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F1	Office Drinking Fountain	20572200-001DW	11-01-23	0.914		0.914
23-120G.F2	Office Bath Sink	20572200-002BF	11-01-23	<0.515		<0.515

Fixture ID Coding:

Bold Indicates Test Result >15 ppb

DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET


DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #6
BUILDING ID#: 20572205

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F3	Room 6A Drinking Fountain	20572200-003DW	11-01-23	<0.515		<0.515
23-120G.F4	Room 6A Bath Sink	20572200-004BF	11-01-23	0.825		0.825
23-120G.F5	Room 6B Drinking Fountain	20572200-005DW	11-01-23	<0.515		<0.515
23-120G.F6	Room 6B Bath Sink	20572200-006BF	11-01-23	<0.515		<0.515

Fixture ID Coding:

Bold Indicates Test Result >15 ppb

DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET


DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #7
BUILDING ID#: 20572206

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F8	Room 7A Drinking Fountain	20572200-011DW	11-01-23	<0.515		<0.515
23-120G.F9	Room 7A Bath Sink	20572200-012BF	11-01-23	<0.515		<0.515
23-120G.F10	Room 7B Drinking Fountain	20572200-013DW	11-01-23	<0.515		<0.515
23-120G.F11	Room 7B Bath Sink	20572200-014BF	11-01-23	<0.515		<0.515

Fixture ID Coding:

Bold Indicates Test Result >15 ppb

DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET


DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #1
BUILDING ID#: 20572200

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F11	Room 1A Drinking Fountain	20572200-011DW	11-01-23	<0.515		<0.515
23-120G.F12	Room 1A Bath Sink	20572200-012BF	11-01-23	<0.515		<0.515
23-120G.F13	Room 1B Drinking Fountain	20572200-013DW	11-01-23	<0.515		<0.515
23-120G.F14	Room 1B Bath Sink	20572200-014BF	11-01-23	<0.515		<0.515

Fixture ID Coding:

Bold Indicates Test Result >15 ppb

DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET


DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #2
BUILDING ID#: 20572201

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F15	Room 2A Drinking Fountain	20572201-015DW	11-01-23	<0.515		<0.515
23-120G.F16	Room 2A Bath Sink	20572201-016BF	11-01-23	0.585		0.585
23-120G.F17	Room 2B Drinking Fountain	20572201-017DW	11-01-23	<0.515		<0.515
23-120G.F18	Room 2B Bath Sink	20572201-018BF	11-01-23	<0.515		<0.515

Fixture ID Coding:

Bold Indicates Test Result >15 ppb

DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET


DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #3
BUILDING ID#: 20572202

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F19	Room 3A Drinking Fountain	20572202-019DW	11-01-23	<0.515		<0.515
23-120G.F20	Room 3A Bath Sink	20572202-020BF	11-01-23	0.534		0.534
23-120G.F21	Room 3B Drinking Fountain	20572202-021DW	11-01-23	<0.515		<0.515
23-120G.F22	Room 3B Bath Sink	20572202-022BF	11-01-23	<0.515		<0.515

Fixture ID Coding:

Bold Indicates Test Result >15 ppb

DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET


DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #4
BUILDING ID#: 20572203

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F23	Room 4A Drinking Fountain	20572203-023DW	11-01-23	<0.515		<0.515
23-120G.F24	Room 4A Bath Sink	20572203-024BF	11-01-23	0.778		0.778
23-120G.F25	Room 4B Drinking Fountain	20572203-025DW	11-01-23	<0.515		<0.515
23-120G.F26	Room 4B Bath Sink	20572203-026BF	11-01-23	<0.515		<0.515

Fixture ID Coding:

Bold Indicates Test Result >15 ppb

DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)



Coleman Creek Consulting, Inc.

DRINKING WATER TESTING SUMMARY SHEET

DISTRICT NAME: Klamath County School District
DISTRICT ID#: 467
SCHOOL NAME: Falcon Heights School
BUILDING NAME: Falcon Heights School Portable #5
BUILDING ID#: 20572204

Sample Number	Fixture Location/ Description	Fixture ID#	Test Date	Test Result (ppb)	# Retest	Final Result (ppb)
23-120G.F27	Room 5A Drinking Fountain	20572204-027DW	11-01-23	<0.515		<0.515
23-120G.F28	Room 5A Bath Sink	20572204-028BF	11-01-23	0.726		0.726
23-120G.F29	Room 5B Drinking Fountain	20572204-029DW	11-01-23	1.01		1.01
23-120G.F30	Room 5B Bath Sink	20572204-030BF	11-01-23	0.809		0.809

Fixture ID Coding:

Bold Indicates Test Result >15 ppb


DW = Drinking Water Fountain WC = Water Cooler WB = Water Bottle Filler
CF = Classroom Faucet BF = Bathroom Faucet SF = Staff/Office Faucet
KF = Kitchen/Food Prep OS = Outside Spigot OT = Other (Specify)

APPENDIX A

**DRINKING WATER SAMPLE LOCATION
DIAGRAM**

FALCON HOMESCHOOL CENTER

Drinking Water Sample Locations



APPENDIX B

NEILSON RESEARCH CORPORATION ANALYTICAL REPORT



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

November 14, 2023

Dave Fawcett
Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520
TEL: (541) 535-7108
FAX (541) 535-8795

RE: 23-120 G Falcon School Leads

Order No.: 23110049

Dear Dave Fawcett:

Neilson Research Corporation received 30 sample(s) on 11/1/2023 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Tamra Schmedemann
Senior Project Manager
245 S Grape St
Medford, OR 97501



Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Case Narrative

WO#: 23110049
Date: 11/14/2023

CLIENT: Coleman Creek Consulting
Project: 23-120 G Falcon School Leads

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-01 **Client Sample ID:** 23-120G.F1
Collection Date: 11/1/2023 6:38:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Office Sink

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.914		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-02 **Client Sample ID:** 23-120G.F2
Collection Date: 11/1/2023 6:38:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Office RR Sink

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-03 **Client Sample ID:** 23-120G.F3
Collection Date: 11/1/2023 6:39:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 6A DF

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-04 **Client Sample ID:** 23-120G.F4
Collection Date: 11/1/2023 6:39:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 6A RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.825		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-05 **Client Sample ID:** 23-120G.F5
Collection Date: 11/1/2023 6:40:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 6B RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-06 **Client Sample ID:** 23-120G.F6
Collection Date: 11/1/2023 6:40:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 6B DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-07 **Client Sample ID:** 23-120G.F7
Collection Date: 11/1/2023 6:42:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 7A RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-08 **Client Sample ID:** 23-120G.F8
Collection Date: 11/1/2023 6:42:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 7A DF

Trace Metals by EPA 200.8 ICP-MS							Analyst; CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-09 **Client Sample ID:** 23-120G.F9
Collection Date: 11/1/2023 6:43:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 7B RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst; CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-10 **Client Sample ID:** 23-120G.F10
Collection Date: 11/1/2023 6:43:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 7B DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-11 **Client Sample ID:** 23-120G.F11
Collection Date: 11/1/2023 6:44:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 1A DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-12 **Client Sample ID:** 23-120G.F12
Collection Date: 11/1/2023 6:44:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 1A RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-13 **Client Sample ID:** 23-120G.F13
Collection Date: 11/1/2023 6:45:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 1B DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-14 **Client Sample ID:** 23-120G.F14
Collection Date: 11/1/2023 6:46:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 1B RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-15 **Client Sample ID:** 23-120G.F15
Collection Date: 11/1/2023 6:47:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 2A DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-16 **Client Sample ID:** 23-120G.F16
Collection Date: 11/1/2023 6:47:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 2A RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.585		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-17 **Client Sample ID:** 23-120G.F17
Collection Date: 11/1/2023 6:48:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 2B DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-18 **Client Sample ID:** 23-120G.F18
Collection Date: 11/1/2023 6:48:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 2B RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-19 **Client Sample ID:** 23-120G.F19
Collection Date: 11/1/2023 6:50:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 3A DF

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-20 **Client Sample ID:** 23-120G.F20
Collection Date: 11/1/2023 6:50:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 3A RR Sink

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.534		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-21 **Client Sample ID:** 23-120G.F21
Collection Date: 11/1/2023 6:51:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 3B DF

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-22 **Client Sample ID:** 23-120G.F22
Collection Date: 11/1/2023 6:51:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Room 3B RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A	

Lab ID: 23110049-23 **Client Sample ID:** 23-120G.F23
Collection Date: 11/1/2023 6:52:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 4A DF

Trace Metals by EPA 200.8 ICP-MS								Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A	

Lab ID: 23110049-24 **Client Sample ID:** 23-120G.F24
Collection Date: 11/1/2023 6:52:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 4A RR Sink

Trace Metals by EPA 200.8 ICP-MS								Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status	
Lead	0.778		0.515	ppb	1	11/10/2023	15.0	A	

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-25 **Client Sample ID:** 23-120G.F25
Collection Date: 11/1/2023 6:53:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 4B DF

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-26 **Client Sample ID:** 23-120G.F26
Collection Date: 11/1/2023 6:53:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 4B RR Sink

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-27 **Client Sample ID:** 23-120G.F27
Collection Date: 11/1/2023 6:54:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 5A DF

Trace Metals by EPA 200.8 ICP-MS						Analyst: CBB		
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	ND		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

Analytical Report

WO#: 23110049

Date Reported: 11/14/2023

Coleman Creek Consulting
810 Leonard St
Ashland, OR 97520

Lab Order: 23110049
Received Date: 11/1/2023 3:19:00 PM
Reported Date: 11/14/2023 8:38:24 AM

Sample Information:

Lab ID: 23110049-28 **Client Sample ID:** 23-120G.F28
Collection Date: 11/1/2023 6:54:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 5A RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.726		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-29 **Client Sample ID:** 23-120G.F29
Collection Date: 11/1/2023 6:55:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 5B DF

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	1.01		0.515	ppb	1	11/10/2023	15.0	A

Lab ID: 23110049-30 **Client Sample ID:** 23-120G.F30
Collection Date: 11/1/2023 6:55:00 AM **Collected By:** Fred Ginestar
Matrix: Drinking Water **Sample Location:** Portable 5B RR Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: CBB	
Analyses	Result	Qual	MRL	Units	DF	Date Analyzed	MCL	NELAP Status
Lead	0.809		0.515	ppb	1	11/10/2023	15.0	A

QUALIFIERS	*	Value exceeds Maximum Contaminant Level.	C1	Sample container temperature is out of limit as specified at testcode
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	MI	Recovery outside control limits due to Matrix Interference
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	PRE	Percent RE exceeds the Limit	R	RPD outside accepted recovery limits

NELAP A Accredited in accordance with NELAP ORELAP 100016, OR-028

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 23110049

14-Nov-23

Client: Coleman Creek Consulting
Project: 23-120 G Falcon School Leads

TestCode: LEAD_DW

Sample ID: MB-23318	SampType: MBLK	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: PBW	Batch ID: 23318	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735910
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	ND	0.515			
------	----	-------	--	--	--

Sample ID: LCS-23318	SampType: LCS	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: LCSW	Batch ID: 23318	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735911
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	98.1	0.520	100	0	98.1 85 115
------	------	-------	-----	---	-------------

Sample ID: 23110049-01AMS	SampType: MS	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: 23-120G.F1	Batch ID: 23318	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735913
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	95.8	0.520	100	0.914	94.9 70 130
------	------	-------	-----	-------	-------------

Sample ID: 23110049-01AMSD	SampType: MSD	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: 23-120G.F1	Batch ID: 23318	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735914
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	94.6	0.520	100	0.914	93.7 70 130 95.8 1.25 20
------	------	-------	-----	-------	--------------------------

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
PL Permit Limit

MI Recovery outside control limits due to Matrix Int
RL Reporting Detection Limit

Original



Neilson Research Corporation
245 S Grape St
Medford, OR 97501
TEL: (541) 770-5678 FAX: (541) 770-2901
Website: www.nrclabs.com

QC SUMMARY REPORT

WO#: 23110049

14-Nov-23

Client: Coleman Creek Consulting
Project: 23-120 G Falcon School Leads

TestCode: LEAD_DW

Sample ID: MB-23319	SampType: MBLK	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: PBW	Batch ID: 23319	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735939
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	ND	0.515			
------	----	-------	--	--	--

Sample ID: LCS-23319	SampType: LCS	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: LCSW	Batch ID: 23319	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735940
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	100	0.520	100	0	100	85	115		
------	-----	-------	-----	---	-----	----	-----	--	--

Sample ID: 23110049-21AMS	SampType: MS	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: 23-120G.F21	Batch ID: 23319	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735943
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	97.6	0.520	100	0.351	97.2	70	130		
------	------	-------	-----	-------	------	----	-----	--	--

Sample ID: 23110049-21AMSD	SampType: MSD	TestCode: LEAD_DW	Units: ppb	Prep Date: 11/10/2023	RunNo: 44078
Client ID: 23-120G.F21	Batch ID: 23319	TestNo: E200.8	E200.8	Analysis Date: 11/10/2023	SeqNo: 735944
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Lead	98.9	0.520	100	0.351	98.6	70	130	97.6	1.37	20
------	------	-------	-----	-------	------	----	-----	------	------	----

Qualifiers: C1 Sample container temperature is out of limit as specified at testcode
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
PL Permit Limit

MI Recovery outside control limits due to Matrix Int
RL Reporting Detection Limit

Original

Sample Log-In Check List

Client Name: **ColemanCreek**

Work Order Number: **23110049**

RcptNo: **1**

Logged by: **Ashley Spiegelberg** **11/1/2023 3:19:00 PM**

Completed By: **Erin Hernandez** **11/2/2023 8:33:00 AM**

Reviewed By: **Tamra Schmedemann** **11/14/2023 8:24:45 AM**

Ashley Spiegelberg
Erin Hernandez
Tamra Schmedemann

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Coolers are present? Yes ☐ No ☐ NA ☒
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☐ No ☐ NA ☒
6. Were all samples received at a temperature of >0° C to 6.0°C Yes ☐ No ☐ NA ☒
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☒ No ☐ NA ☐
HNO3 pH<2
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
-----------	---------	-----------	-------------	---------	-----------	-----------

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Page ____ of ____

Section A

Required Client Information

Company:	Coleman Creek Consulting
Address:	810 Leonard St
	Ashland, OR 97520
Email:	fawbro@ccountry.net
Phone:	Fax:
Collected By (Print):	Fred Gineslar
Collected By (Sign):	<i>[Signature]</i>
Email Report ____	Mail Report ____ Fax Report ____

Section B

Required Project Information

Project Name:	Falcon
Project Number:	23-120 G
Report To:	Dave Fawcett
Copy To:	

Section C

Invoice Information

Attention:	
Company Name:	
Address:	
P.O. #	

Section D

Rush Status (Subject to Scheduling)

<input checked="" type="checkbox"/> Standard: 10 Business Days
<input type="checkbox"/> Priority: 5 Business Days (List x 1.50)
<input type="checkbox"/> Express: 3 Business Days (List x 1.75)
<input type="checkbox"/> Rush: 2 Business Days (List x 2.00)
<input type="checkbox"/> Rush: 1 Business Day (List x 2.50)
<input type="checkbox"/> Rush: Same Day (List x 3.00)
Authorized ____ Yes ____ No

Section E

Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested										NRC Workorder # (Lab Use Only)	Remarks / Field Data	NRC Sample # (Lab Use Only)	(Lab)
23-120G. FI - F30	Grab	DW	11-1-23		30														

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F

Relinquish/Receive

Relinquished By:	Sign	Print	Date	Time
<i>[Signature]</i>		David W. Fawcett	11-1-23	15:19
Received By:				
Relinquished By:				
Received By:				
Relinquished By:				
Received By Laboratory:		Ashley Spiegelberg	11/01/23	15:19

Section G

Lab Use Only

Temp:	Amb	IR Therm ID:	NA
≤6°C:	Yes ____ No ____		NA
Received on Ice:	Yes ____ No ____		
Number of Bottles Received:			
pH Checked:			
COC Seals Intact:	Yes ____ No ____		NA
Field Blank Included:	Yes ____ No ____		
Received Via	UPS ____ FedEx ____ Other ____		Hand

Payment: Invoice Cash ____ VISA, M/C ____ Check # ____ Amount ____